This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

4/28/201

Agency Information

AGENCY:

FBI

RECORD NUMBER:

124-10200-10142

RECORD SERIES:

HQ JUNE MAIL

AGENCY FILE NUMBER:

62-9-29-734

Document Information

ORIGINATOR:

FBI

SAC, MM

FROM: TO:

DIRECTOR, FBI

TITLE:

DATE:

10/18/1963

PAGES:

2

SUBJECTS:

CIP, ADMIN, MISUR

DOCUMENT TYPE:

PAPER, TEXTUAL DOCUMENT

CLASSIFICATION:

Unclassified

RESTRICTIONS:

1B

CURRENT STATUS:

Redact

DATE OF LAST REVIEW:

02/03/1995

OPENING CRITERIA:

INDEFINITE

COMMENTS:

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

UNITED STATES GOVERNMENT

Memorandum

TO

DIRECTOR, FBI

DATE:

10/18/63

SAC, MIAMI (92-515 Sub II) (P)

JUNE

CRIMINAL INTELLIGENCE PROGRAM MICROPHONE COVERAGE

Re Miami airtel to the Bureau dated 9/16/63.

In view of developments relating to security in Misur installations, the Miami Office has removed the 42A and 44A MATES which were installed in the following cases:

> MM 788-C* HYMAN E. MARTIN, aka AR Miami File 92-218 Bufile 92-3157

MM 852-C* BENJAMIN SIGELBAUM, aka AR Miami File 92-966

MM 877-C* ALVIN I. MALNIK, aka AR Miami File 92-733

MM 876-C* MARTIN KATZ, aka ITSP Miami File 87-17771 Bufile 87-71448

MM 881-C* LOUIS SCHRAGER, aka Miami File 92-1141

OCT -21-1963

Bureau (RM) Miami

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

MM 92-515 Sub II

The Miami Office does not have any 42A or 44A blocks installed, either active or inactive, as of this date.