

This document is made available through the declassification efforts  
and research of John Greenewald, Jr., creator of:

# The Black Vault

---



The Black Vault is the largest online Freedom of Information Act (FOIA)  
document clearinghouse in the world. The research efforts here are  
responsible for the declassification of hundreds of thousands of pages  
released by the U.S. Government & Military.

**Discover the Truth** at: **<http://www.theblackvault.com>**

DATE: 11-14-2017

JFK Assassination System  
Identification Form

Date: 4/24/201

## Agency Information

AGENCY: FBI  
RECORD NUMBER: 124-10218-10178

RECORD SERIES: HQ

AGENCY FILE NUMBER: 92-2717-1425

## Document Information

ORIGINATOR: FBI  
FROM: SAC, PH  
TO: DIRECTOR, FBI

TITLE:

DATE: 01/14/1965  
PAGES: 3

SUBJECTS:

ABR, ADMIN, INSTR, MISUR

DOCUMENT TYPE: PAPER, TEXTUAL DOCUMENT

CLASSIFICATION: Unclassified

RESTRICTIONS: 1B

CURRENT STATUS: Redact

DATE OF LAST REVIEW: 04/28/1998

OPENING CRITERIA: INDEFINITE

COMMENTS: INC MEMO

DATE: 11-14-2017

OPTIONAL FORM NO. 10  
MAY 1962 EDITION  
GSA GEN. REG. NO. 27

5010-106

UNITED STATES GOVERNMENT

# Memorandum

TO : Director, FBI (92-2717)

FROM : ~~DDJ~~ SAC, Philadelphia (92-444 Sub D) (P)

SUBJECT: ANGELO BRUNO, aka  
AR

DATE: 1/14/65

J U N E

ReBulet 12/28/64, granting authority for Philadelphia to retrieve equipment previously used in misur coverage, 775 S. 8th Street, and authority to reestablish misur coverage at this location.

On 1/13/65 SA ALBERT L. PIERCE, under pretext of telephone repairman, retrieved the altered 44A block at 775 S. 8th Street. SA PIERCE also, through wiring presently in the building, traced an inside 10 or 11 pair cable, which appears in the rear room, 775 S. 8th Street. The red-blue pair of this cable was connected to the outside box and presently runs to the CP, Philadelphia.

Philadelphia will continue to maintain the altered 44A block retrieved 1/13/65 on their inventory. The missing 44A block described in Philadelphia letter of 12/17/64 is being deleted from Philadelphia inventory. *J*

Enclosed herewith is a portion of the cover for the above-described 10 or 11 pair inside cable. It is requested that Philadelphia be forwarded a Minimate. This minimate will be installed inside the cable and accordingly, a minimate of the smallest proportions is needed for this purpose.

Philadelphia will upon receipt of the requested minimate install this minimate in the above-described cable. This cable in the building is no longer in use, has been cut and taped at the end and appears near the floor of the rear room of this address. It is felt this will afford adequate security.

2 - Bureau - RM - Encl.  
1 - Phila.

JRP:ERG  
(3)

*Encl detached by Laboratory 1/21/65*

REC 20

92-2717-1425

3 FEB 2 1965

*tech form 1-22-65*  
*BP7 ish*  
*1cc retained Lab.*  
*John*  
*Mike*  
*(See Page 2 as marked)*  
*See Page 1*