This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

5/28/201

Agency Information

AGENCY:

FBI RECORD NUMBER:

124-10219-10245

RECORD SERIES:

HQ

AGENCY FILE NUMBER:

92-2914-307, 308

Document Information

ORIGINATOR:

FBI

FROM:

SAC, PG

TO:

DIRECTOR, FBI

TITLE:

DATE:

02/24/1964

PAGES:

8

SUBJECTS:

GM, SMO, MISUR, INSTAL, KEN IRON AND STEEL CO.

DOCUMENT TYPE:

PAPER, TEXTUAL DOCUMENT

CLASSIFICATION:

Secret

RESTRICTIONS:

1B; 1C

CURRENT STATUS:

Redact

DATE OF LAST REVIEW:

07/22/1998

OPENING CRITERIA:

INDEFINITE

COMMENTS:

INC MEMO, A/T

DocId:32297469 Page 1

Released under the John F. Kennedy Assassination Records Collection Act of 1992, (44 USC 2107 Note). DATE: 11-14-2017 FD-142 (Rev. 6-2-61) OPTIONAL FORM NO. 10 UNITED STATES GOVERNMENT rorandum JUNE 92-2914 (Bufile TO DIRECTOR, FBI DATE: 92-2918 (92-236 SUB 2) PITTSBURGH 92-228 - SUB 2) RECOMMENDATION FOR INSTALLATION OF TECHNICAL OR MICROPHONE SURVEILLANCE Title GABRIEL MANNARINO, aka; SAMUEL MANNARINO, aka Character of Case AR ASSIFIED BY SIGNSWIGO Field Office PITTSBURGH DECLASSIFY ON: 25X (1)(6) Symbol Number TO BE ASSIGNED Type of Surveillance (Technical or Microphone) 11 13/97 1. Name and address of subject: GABRIEL MANNARINO, 540 Charles Ave., New Kensington, Pa.; SAMUEL MANNARINO, 201 Highland Ave., New Kensington, Pa. Location of technical operation: Ken Iron and Steel Company, 1263 Third Ave., New Kensington, Pa. To be monitored at Pittsburgh Office Consolidated Plant. Other technical surveillances on same subject: None all impormation contained HERETH IS UNCLASSIFIED EXCER WHERE SHOWN OTHERWISE. B 4. Cost and manpower involved: Leased line including loops costs \$56 plus 14% state and Federal taxes or \$63.84. [PG 177-S*[3](a), [PG 177-S*] PG 180-S*, PG 622-C* and PG 685-C* presently being monitored from 8:00 a.m. through 12:00 p.m. daily, by one special employee, GS-9 at 8:00 a.m. through 12:00 p.m. daily, by one special employee, GS-9 at \$8,250 per annum; one clerk, GS-7 @ \$5,725 per annum; one clerk, GS-6 @ \$6,055 per annum; and one clerk, GS-5 @ \$5,845 per annum. Therefore, the approximate proportionate salary expense per annum for proposed misur would be: GS-9, \$1,375; GS-7, \$955; GS 9, \$1,010; and GS-5, \$975. 5. Adequacy of security: Believed adequate as set "Details of Proposed Installation." -Pittsburgh HLW:11a Registered Mail

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

SEGRET

APPENDIX

DETAILS OF PROPOSED INSTALLATION

Pursuant to Bureau authority, dated February 12, 1964, a survey was conducted to determine the feasibility of effecting misur coverage on subject's private office at the Ken Iron and Steel Company, 1263 Third Ave., New Kensington, Pa.

The Ken Iron and Steel Company is located in the twelve hundred block of Third Avenue and fronts on this avenue, while the rear of the enclosed yard bounds on Spruce Alley, running east-west between Second and Third Avenues and terminating at the east end of this yard. Residences on both Second and Third Avenues are telephonically serviced through a lead-sheathed aerial cable traversing the north side of Spruce Alley from west to east, which terminates on utility pole #19319 immediately behind the yard. From this utility pole the cable is dropped into the company's office's cellar where it terminates in a twenty-five "protector-paired" box, five pairs of which service the office's various individual telephone numbers. The location of this office is approximately 16 wire-miles from the Pittsburgh Office Consolidated Plant.

CS PG 187-S advised that a cable-record check disclosed several line pairs which could be made available for use. One pair was selected (Pair 847) and on testing it, measured 2,055 ohms with a db loss of 8.7 over the approximate 16 wire-miles.

Subjects's private office is located in the rear northwest section of the first floor and has approximately 10' by 11' dimensions. The walls are pine-panel plank while the 10' ceiling is constructed of acoustical tile. The groved pine-panel planks are held in place with 4d nails to furring strips, 24" on horizontal center. The private office is serviced with a five-key telephone instrument which interconnects, in addition, with several offices and points in the junk yard. This keying unit obviously replaced a former number of private-line instruments. On the north wall is mounted a 44A block.

It is proposed that one mike be installed in the northwest corner of subjects' private office on the west



Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: \11-14-2017

SECKE

wall at a height of 34" and a point 22" from the northwest corner. Ingress to this area can be made by removing one section of plank, two at the most. The preamp leads will be extended behind the plank, downward and will emerge on the top interior west wall of the cellar and will thereafter be secreted to the cable outlet.

It is anticipated that the installation personnel will enter the Ken Iron and Steel Company surreptitiously. Prior to entry, all logical principals will be placed under surveillance and will be surveilled during the entire operation. Special Agent personnel who are acquainted with the subjects and key associates will be placed in strategic positions to provide utmost security throughout the entire operation to insure advance warning of any approach by the aforementioned persons. It is realized that trespass will occur but every precaution will be taken to prevent any possibility of compromise.

