This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

4/24/201

Agency Information

AGENCY:

RECORD NUMBER:

124-10283-10459

RECORD SERIES:

HQ

FBI

AGENCY FILE NUMBER:

92-2717-959

Document Information

ORIGINATOR: **FBI**

FROM:

SAC, PH

TO:

DIRECTOR, FBI

TITLE:

DATE:

06/04/1963

PAGES:

4

SUBJECTS:

ABR, ASSOC, LCN, RACK ACT, MISUR

DOCUMENT TYPE:

PAPER, TEXTUAL DOCUMENT

CLASSIFICATION:

Unclassified

RESTRICTIONS: **CURRENT STATUS:**

1B Redact

DATE OF LAST REVIEW:

04/08/1998

OPENING CRÎTERIA:

INDEFINITE

COMMENTS:

INC TTY

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

6-6-63

Mr. Martin)

CODE

1 - Mr. Belmont

1 - Mr. Evans (Attention:

URGENT

U

LETELABE X-150

FROM DIRECTOR FBI (92-2717) - 959

ANGELO BRUNO, AKA, AR

JUNE

REURAIRTEL JUNE FOUR SIXTYTHREE, IN CAPTIONED MATTER, INQUIRING AS TO THE POSSIBILITIES OF INSTALLING A MICROPHONE IN A PAY TELEPHONE INSTRUMENT SO THAT IT WILL NOT BE OBVIOUS TO TELEPHONE COMPANY CRAFTSMEN SERVICING THE PHONE.

VIBES TERMINATING IN EQUIPMENT IN A PAY TELEPHONE INSTRUMENT WILL ABOUSE THE SUSPICIONS OF TELEPHONE EMPLOYEES. HOWEVER, IF THE SOUND-TRAINED PERSONNEL IN YOUR OFFICE CAN HAVE FREE ACCESS TO THE TELEPHONE AND FURTHER IF THE WIRES SERVING THE TARGET INSTRUMENT PASS UP THROUGH A STANDARD BACKBOARD (BLACK MOUNTING BOARD) THERE IS A REMOTE POSSIBILITY THAT THE MISUR CONNECTION CAN BE MADE TO THE SPARE WIRES IN AN AREA BEHIND THE BACKBOARD AND THE ENDS OF EXTRA WIRES LEFT EXPOSED INSIDE OF THE INSTRUMENT. THIS APPROACE SHOULD MINIMIZE THE INQUISITIVENESS OF TELEPHONE EMPLOYEES. IT SHOULD BE POINTED OUT

TECHNIQUE IS PURSUED THE MICROPHONE MUST-NOT Jept of Watice Tolson Belmont TYPED BY Mohr Callahan (SEE NOTE DeLoach JUN 6 1963 Evans Gale 6:34 pm rx Rosen Sullivar Tavel Gandy MAIL ROOM ___ TELETYPE UNIT

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

TELETYPE TO PHILADELPHIA ANGELO BRUNO 92-2717

O.

ACTIVATED UNLESS IT IS BEING MONITORED AND CERTAINLY SHOULD NOT BE ACTIVATED WHEN TELEPHONE PERSONNEL ARE WORKING ON THE TARGET INSTRUMENT.

THE SPMT OFFERS ANOTHER POSSIBLE INSTALLATION TECHNIQUE. IT WILL BE NECESSARY FOR YOU TO FURNISH THE LABORATORY THE INSTRUMENT YOU PROPOSE TO INSTALL TOGETHER WITH THE TECHNICAL DETAILS OF THE CENTRAL OFFICE SWITCHING USED ON THE SUBSCRIBER'S LINE. THE INSTRUMENT WILL BE ALTERED AND RETURNED TO YOU ALONG WITH DETAILS FOR INSTALLATION.

IT IS NOT QUITE CLEAR, FROM THE REFERENCED AIRTEL, HOW YOU EXPECT THE MICROPHONE, LOCATED ON THE BACK WALL OF A RESTAURANT, TO COVER AN ADJOINING ROOM. IT WOULD APPEAR THAT, UNLESS YOUR SOUND-TRAINED AGENTS HAVE FREE ACCESS TO THE TELEPHONE EQUIPMENT LONG ENOUGH TO DIRECT THE MICROPHONE TOWARD THE TARGET ROOM, SOUNDS IN THE RESTAURANT WILL OVER-RIDE THE SOUNDS ORIGINATING IN THE TARGET ROOM.

YOUR SOUND-TRAINED AGENTS SHOULD CONSIDER THESE POINTS IN EVALUATING THE POTENTIAL COVERAGE IN THIS CASE.

NOTE: Philadelphia Sound-trained Agents have appointment with telephone company informants at noon Friday, to discuss gaining access to the target area. Therefore, this should be sent by urgent teletype to give Agents time to review and study Laboratory's views before the appointment.

Philadelphia proposes to install a microphone in a pay telephone incated in a luncheonette operated by Frank "Sunffy" Iannarella, a member of La Causa Nostra. Angelo Bruno and other racket figures hold meetings in a back room of IANNARELLA's luncheonette. If installation appears possible, Philadelphia will request authorization to install.

NR. 162105
ENC. 1pl
CK. Rd
APPROVED BY TYPED BY

2

E.	14-12-1617		
J (=	à `	FBI	
~ ~		•	
	ه م	Date: 6/4/63	į
ınsmi	t the following	in Plain Text (Type in plain text or code)	\dashv α
a	Airtel	(cype on point on come,	10 300
1 —	· · · · · · · · · · · · · · · · · · ·	(Priority or Method of Mailing)	169
]	TO:	Director, FBI (92-2717)	√
		Attention: Electronic Section, FBI Lab	oratory
	FROM:	SAC, Philadelphia (92-444 Sub A)	
	SUBJECT:	ANGELO BRUNO, aka; JUNE	•
	, in the second		
	known to known to chief lie luncheone ANGELO BF part of i ANGELO BF	ristian Street, Philadelphia, Pa. IANNARELLA be a member of La Causa Nostra. ANGELO BRUNC be his superior in La Causa Nostra. ANGELO Equtenant, PHILIP TESTA, is known to frequent tette apparently in connection with the operation of the sumbers racket. Since PH 623-C* has located by the sumber of the ERUNO and other racket figures hold meetings at a Street, Philadelphia.	is RUNO's his on of st Bureau,
	small roo Through o public te extra pai	742 Christian Street has a public telephone of of the luncheonette. Behind this wall is a om where BRUNO has recently held a series of motor with the telephone company at the time elephone was installed at 742 Christian Street of wires was run and terminate inside of the instrument. These wires are presently uncon	the an
	feasibili	Philadelphia is considering the technical ity as follows:	
			I
C v V	telephone a number after thi	Through contacts with the telephone company ascertained that the company could cause the to not return money deposited in the event to called gives a busy signal. It is believed to has worked for a sufficient period of time, and (92-2717) REC- 91 REC- 91	public hat then
0 • W	telephone a number after thi	ascertained that the company could cause the to not return money deposited in the event to called gives a busy signal. It is believed to has worked for a sufficient period of time, and (92-2717)	public hat then
	telephone a number after thi 3 - Burea Vick JRP: MMR (4)	ascertained that the company could cause the to not return money deposited in the event to called gives a busy signal. It is believed to has worked for a sufficient period of time, and (92-2717)	public hat then

PH 92-444 Sub A

the subscriber wilk make an official complaint. The Philadelphia Division could be informed of this complaint. When the phone would need servicing, it is believed this would present a suitable pretext to exchange complete instruments whereby a misur could be installed utilizing the extra wires presently terminating in the telephone instrument.

It is requested that the Electronics Section advise the Philadelphia Division if they could alter a pay phone in such a fashion that it would not be obvious to a telephone company employee who might later service this phone. For information, it is to be noted that if the above is technically feasible, the installation will have to be made under pretext by sound trained Agent. Accordingly, complete instructions as to the method of making the installation would be needed. The Philadelphia Division believes they can obtain a public phone for the Bureau to alter in the event the alteration is possible.

The above is to obtain technical advice from the Laboratory and in the event it is proven to be feasible technically, the Philadelphia Division will submit appropriate request for the Bureau to make this installation. It should be noted that ANGELO BRUNO is a member of the Criminal Commission and has national prominence and this possible source would be extremely valuable particularly since the loss of the partial potential of PH 623-C*.

Sound Agents have an appointment for noon Friday with telephone company contact to pursue the above-described situation. In the event the Laboratory desires that specific information be obtained from this telephone company contact, it is requested that they notify the Philadelphia Division prior to date of the appointment.

FROHBOSE