

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)
document clearinghouse in the world. The research efforts here are
responsible for the declassification of hundreds of thousands of pages
released by the U.S. Government & Military.

Discover the Truth at: **<http://www.theblackvault.com>**

DATE: 11-14-2017

JFK Assassination System
Identification Form

Date: 5/21/201

Agency Information

AGENCY : FBI
RECORD NUMBER : 124-10305-10033
RECORD SERIES : HQ
AGENCY FILE NUMBER : 92-3960-26

Document Information

ORIGINATOR : FBI
FROM : SAC, NY
TO : DIRECTOR, FBI
TITLE :

DATE : 04/18/1962
PAGES : 6
SUBJECTS :
SGR
DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT
CLASSIFICATION : Unclassified
RESTRICTIONS : 4
CURRENT STATUS : Redact
DATE OF LAST REVIEW : 04/11/1997
OPENING CRITERIA : INDEFINITE
COMMENTS : INC MEMO, ADMIN PAGE

DATE: 11-14-2017

OPTIONAL FORM NO. 10
5010-104

UNITED STATES GOVERNMENT

Memorandum

TO : DIRECTOR, FBI (92-3960) DATE: 4/18/62
(ATT: FBI LABORATORY - ELECTRONICS SECTION)

FROM : SAC, NEW YORK (92-1108) JUNE

SUBJECT: SALVATORE GRANELLO aka
AR

On April 16, 1962, Bureau Supervisor THOMAS J. MC ANDREWS, General Investigative Division, advised Supervisor JOHN J. DANAHY, New York Office, that authority to install new type SPMT unit in subject's home located at Greenwood Lake, New York, was denied. The operation of this unit affords both microphone and telephone surveillance coverage.

A survey of the subject's residence conducted on March 30, 1962, disclosed the following:

The outside drop wire consists of a single pair running from a pole directly in front of subject's house approximately 30 feet to the corner of the house. It is connected to a terminal box on the outside of the house and then runs through the wall into the den above the bar where it is connected to an electro strip terminal box. From this point all wire is jacketed three conductor and is hidden behind panelled walls. There are two phones in the house, a 500 series wall type phone located on the wall on a glass enclosed patio porch adjacent to the area desired to be covered by the Misur, and an extension phone located in one of the upstairs bedrooms.

The problem in this case is one of egress, and the NYO solicits suggestions from the FBI Laboratory as to ways or means to circumvent this problem.

cc det. Elec. Sec.
3 - Bureau (92-3960)
(1 - FBI Laboratory - Electronics Section)
2 - New York (92-1108)

RNB:rdh
(5)

Letter
4/20/62
RAM:cf

EX-105

REC-48

92-3960-26

5-9
4 APR 20 1962

FBI SEVEN

SPEC. MAIL RM

4. New Four Conductor Drop Line: Subject is not presently occupying his home and his phone service is not connected; therefore, trouble cannot be put on the line of a nature that would require a new drop line. Necessary facilities for this type of installation under a suitable pretext not available to the soundmen. When the subject returns and requests his phone to be connected, access will not be available to make the necessary installation.

5. Burying Wire Underground: The physical layout of subject's premises are such that full security could not be assured with this type of egress. To the left of the subject's home is a large swimming pool, to the rear is the lake, and the other small remaining area is utilized in summer flower gardening. Further, in view of the number of summer homes in the immediate area, and the necessity of phone men making phone installations and repairs would preclude running of aerial wire to a crossbox or plant with security.

The subject's return to this area in the near future is anticipated, and it is therefore requested that the Bureau expedite this matter.