This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

5/12/201

Agency Information

AGENCY:

FBI

124-90103-10051 RECORD NUMBER:

RECORD SERIES:

HQ

92-2940-432 AGENCY FILE NUMBER:

Document Information

FBI ORIGINATOR:

> FROM: PG

> > TO: HQ

TITLE:

DATE: 06/29/1964

'PAGES:

7

SUBJECTS:

SEBASTIAN JOHN LAROCCA

DOCUMENT TYPE: PAPER, TEXTUAL DOCUMENT

CLASSIFICATION: Secret **RESTRICTIONS:** 1B; 1C; 4 **CURRENT STATUS:** Redact

DATE OF LAST REVIEW: 07/31/1998

INDEFINITE **OPENING CRITERIA:**

COMMENTS:

MEMO

Teased under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note). DATE: /11-14-2017 FD-143 (Rev. 4-2-63) OPTIONAL FORM NO. 10 MAY 1962 EDITION GSA GEN. REG. NO. 27 UNITED STATES GOVERNMENT - OLUTE! MemorandumJUNE (Bufile 92-2940) DATE: 6/29/64 TO DIRECTOR, FBI CLASSIFIED BY 5668 SUD/GEL SAC, PITTSBURGH (92-226-Sub 2) JUSTIFICATION FOR CONTINUATION OF TECHNICAL OR MICROPHONE SURVEILLÂNCE SEBASTIAN JOHN LA ROCCA, aka. Title Character of Case ANTI-RACKETEERING Field Office Pittsburgh Symbol Number PG 622-C* Type of Surveillance: (Technical or Microphone (MUTT Installation) Name of person or organization on whom surveillance placed: SEBASTIAN JOHN LA ROCCA (Owner, North Star Cement Block Company, 12 McCandless Ave., Pittsburgh, Pa.) Address where installation made. Also give exact room number or area covered: The Pittsburgh Office of the North Star Cement Block Company, 12 McCandless Ave., Pittsburgh, Pa. 3. Location of monitoring plant: Pittsburgh FBI Office, 450 Union Trust Building, Fifth Avenue and Grant St., Pittsburgh, Pa. Dates of initial authorization and installation: Initial authorization: 1/26/61 Installation: 1/30/61 (actually activated on 2/7/61) 5. Previous and other installations on the same subject (with dates and places): No other installations. 6. If installation is a technical surveillance, answer following questions: (There is no tesur involved in this installation.) a. Is a trunk line utilized? REC- 13 Is the surveillance on a switchboard? \mathbf{V} भाग उट्ट 'Is the surveillance on a public coin operated telephone? JUN-34 1964

PG 92-226-Sub 2

SEUNEL

- d. Is surveillance on a private line or a party line?
- e. If a party line, how many parties?
- 7. If a microphone surveillance involved, state number of microphones actually used and location of each:

One MUTT unit is installed and concealed in the floor space between subject's business office and lavatory.

- 8. Is the installation part of a tel-mike? If so, give symbol of other side of the combination:

 Not part of a tel-mike.
- 9. Specific examples of valuable information obtained since previous report with indication of specific value of each item and the date information received. State what use was made of each item involved: (Add insert pages) Consult insert pages. All information was utilized for intelligence purposes and appropriate dissemination was made where pertinent.
- 10. Could above information have been obtained from other sources and by other means?

 No.
- 11. Number of live informants (in field division) who cover same subject:
 Two live informants cover LA ROCCA but there are no live
 informants furnishing information relative to the North Star
 Cement Block Company.
- 12. Has security factor changed since installation?

No change.

- 13. Any request for the surveillance by outside agency (give name, title and agency):

 No requests made.
- 14. Cost of Plant Premises:
 - a. Rental costs for plant premises: None. (costs included in office rental.)
 - b. Give total number of other surveillances monitored at same plant.

 Two units of a tesur (PG 177-S*) were activated on 6/6/62 (One unit of a misur (PG 180-S*) was activated on 8/23/62.

 One unit of a misur (PG 685-C*) was activated on 6/14/63.

 One unit of a misur (PG 713-C*) was activated on 3/6/63.

 One unit of a misur (PG 722-C*) was activated on 5/15/64.

- 2.