

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)
document clearinghouse in the world. The research efforts here are
responsible for the declassification of hundreds of thousands of pages
released by the U.S. Government & Military.

Discover the Truth at: **<http://www.theblackvault.com>**

DATE: 11-14-2017

JFK Assassination System
Identification Form

Date: 5/12/201

Agency Information

AGENCY : FBI
RECORD NUMBER : 124-90103-10075

RECORD SERIES : PG

AGENCY FILE NUMBER : ELSUR 92-226-2-65

Document Information

ORIGINATOR : FBI
FROM : PG
TO : HQ

TITLE :

DATE : 03/28/1963
PAGES : 8

SUBJECTS :

SEBASTIAN JOHN LARocca (ELSUR)

DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT
CLASSIFICATION : Secret
RESTRICTIONS : 1B; 1C
CURRENT STATUS : Redact
DATE OF LAST REVIEW : 07/31/1998

OPENING CRITERIA : INDEFINITE

COMMENTS :

DATE: 11-14-2017

FD-143 (12-28-60)

OPTIONAL FORM NO. 10

UNITED STATES GOVERNMENT

Memorandum

SECRET

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
EXCEPT WHERE SHOWN
OTHERWISE

TO : DIRECTOR, FBI (Bufile 92-2940)

DATE: 3/28/63

FROM : SAC, PITTSBURGH (92-226-Sub 2)

(JFK) 3/19/98
CLASSIFIED BY 5668 SLD/GCL
DECLASSIFY ON: 25X (1)(b)

SUBJECT: JUSTIFICATION FOR CONTINUATION OF TECHNICAL OR MICROPHONE SURVEILLANCE

RE: Title SEBASTIAN JOHN LA ROCCA, aka

Character of Case	ANTI-RACKETEERING
Field Office	PITTSBURGH
Symbol Number	PG 622-C*
Type of Surveillance:	(Technical or
Microphone)	Microphone (MUTT
	installation)

1. Name of person or organization on whom surveillance placed:
SEBASTIAN JOHN LA ROCCA (Owner, North Star Cement Block Company,
12 McCandless Avenue, Pittsburgh, Pa.)
2. Address where installation made. Also give exact room number or area covered:
The Pittsburgh Office of the North Star Cement Block Company,
12 McCandless Avenue, Pittsburgh, Pa.
3. Location of monitoring plant:
Pittsburgh FBI Office, 450 Union Trust Building, Fifth
Avenue and Grant Street, Pittsburgh, Pa.
4. Dates of initial authorization and installation:
Initial authorization: 1/26/61
Installation: 1/30/61 (actually activated on 2/7/61)
5. Previous and other installations on the same subject (with dates and places):

No other installations

6. If installation is a technical surveillance, answer following questions:

(There is no tesur involved in this installation.)

- a. Is a trunk line utilized?
- b. Is the surveillance on a switchboard?
- c. Is the surveillance on a public coin-operated telephone?

1-Bureau (REG)

1-Pittsburgh

RAV/gb (2)

Registered Mail

SECRET

92-226-Sub 2-65

DATE: 11-14-2017

SECRET

PG 92-226-Sub 2

- d. Is surveillance on a private line or a party line?
- e. If a party line, how many parties?
7. If a microphone surveillance involved, state number of microphones actually used and location of each:
One MUTT unit is installed and concealed in the floor space between subject's business office and lavatory.
8. Is the installation part of a tel-mike? If so, give symbol of other side of the combination:
Not part of a tel-mike.
9. Specific examples of valuable information obtained since previous report with indication of specific value of each item and the date information received. State what use was made of each item involved: (Add insert pages)
Consult insert pages. All information was utilized for intelligence purposes and appropriate dissemination was made where pertinent.
10. Could above information have been obtained from other sources and by other means?
No.
11. Number of live informants (in field division) who cover same subject:
Two live informants cover LA ROCCA but there are no live informants furnishing information relative to the North Star Cement Block Company.
12. Has security factor changed since installation?
No change.
13. Any request for the surveillance by outside agency (give name, title and agency):
No requests made.
14. Cost of Plant Premises:
 - a. Rental costs for plant premises:
None (costs included in office rental)
 - b. Give total number of other surveillances monitored at same plant.
**Two units of a tesur [(PG 177-S*)] were activated on 6/6/62.
One unit of a misur (PG 180-S*) was activated on 8/23/62.**

SECRET