

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)
document clearinghouse in the world. The research efforts here are
responsible for the declassification of hundreds of thousands of pages
released by the U.S. Government & Military.

Discover the Truth at: **<http://www.theblackvault.com>**

Agency Information

AGENCY : FBI
RECORD NUMBER : 124-90118-10098

RECORD SERIES : HQ

AGENCY FILE NUMBER : 92-2897-25

Document Information

ORIGINATOR : FBI
FROM : DL
TO : HQ

TITLE :

DATE : 07/16/1958
PAGES : 2

SUBJECTS :
HARRY RAYMOND POPE

DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT
CLASSIFICATION : Unclassified
RESTRICTIONS : 4
CURRENT STATUS : Redact
DATE OF LAST REVIEW : 08/17/1998

OPENING CRITERIA : INDEFINITE

COMMENTS : MEMO

Office Memorandum • UNITED STATES GOVERNMENT

TO : DIRECTOR, FBI (92-2897)

DATE: 7/16/58

FROM: SAC, DALLAS (92-34)

SUBJECT: HARRY RAYMOND POPE
ANTI-RACKETEERING

OO - Dallas

Enclosed is report of SA ROBERT M. BARRETT, dated 7/16/58, at Dallas.

REFERENCES

Report of SA ROBERT M. BARRETT, 5/28/58, at Dallas.
El Paso letter to Dallas, 6/5/58.
Baltimore letter to Dallas, 6/24/58.

CRIMINAL INFORMANT COVERAGE

DL-91-C
DL-80-C
DL-83-C
DL-90-C
DL-95-C
PCI
PCI
PCI

OTHER 4

In view of the subject's pending conviction (7/25/58) in Dallas on a possession of narcotics charge and his subsequent sentencing to the Texas State Penitentiary, it is not believed feasible by the Dallas Office to continue efforts to increase informant coverage at the present time.

An informational copy of this report is being furnished to New Orleans who has been requested to verify subject's birth data.

EX - 124

ANGELO THOMAS CASTEN, mentioned in this report, is a local top hoodlum of the Dallas Office.

- 2 - Bureau (92-2897) (Encls. 2)
1 - New Orleans (92-37) (Info) (Encl. 1)
3 - Dallas (92-34)
RMB:jh
(6)

REC-8

92-2897-25

13 JUL 21 1958

EX - 124

REC-8

77 JUL 30 1958