

EVIDENCE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D.C.

44-38861-5920

PC-A5498 BX

MURKIN

(See 5)

Blk-white NEAS

Q2-Q17

Q21-Q22, Q24, Q26-Q30

Q31-Q39

Q40-Q49

Q50-Q54

Q57-Q59

Q60-Q63

Q64

PC-A5468 BX
44-38861
MURKIN

Blk - white bags

Q50 - Q54


Q57 - Q59

KODAK SAFETY FILM






KODAK SAFETY FILM




KODAK SAFETY FILM





Q59
FBI
LABORATORY
PC-A5498 BX JV

2A7E7A°S
KODAK






Q54
FBI
LABORATORY
PC-A5568 BX JV


KODAK SAFETY FILM




KODAK SAFETY FILM





KODAK SAFETY FILM



KODAK SAFETY FILM




KODAK SAFETY FILM



KODAK SAFETY FILM



KODAK SAFETY FILM



KODAK SAFETY FILM


PC-A5498 BX

44-38861

MURKIN

Blk-white Nogs

Q 60-Q 63




KODAK SAFETY FILM




Q62
FBI
LABORATORY
PC-A5498 BX JV

KODAK SAFETY FILM



2AEEYTA°2 KODAK MJT--EIGW



KODAK SAFETY FILM

PC-A5498 BX
44-38861
MURKIN

Beh-white NBAs

Q31

32

33

34


35

36

37

38


39



MIJF--YTJFA°S KADOK



KODAK SAFETY FILM






KODAK SAFETY FILM




Q32
FBI
LABORATORY
PC-A5498 BX JV

2A7EFA°2 KODAK





MIJ--YT3FA°S
KODAK SAFETY FILM




KODAK SAFETY-FILM


which temporarily soothes
BIBERGEN helps prevent the stomach upset often caused
by aspirin.
Dose: 1-2 tablets every four hours as necessary for pain.
Do not exceed 12 tablets in 24 hours, unless directed by a
physician. For children 6 to 12 years of age, one-half dose.
WARNING: Keep this and all medicines out of children's
reach. In case of accidental overdose, consult a physician
immediately.
CAUTION: Consult a physician at once if arthritis or other
pain or swelling persists more than ten days, if redness of
the skin is present or in arthritic conditions affecting chil-
dren under 12 years of age. **Active ingredients:** Each tablet
contains aspirin 5 Gr., and the antacid Di-Alminate* (Bristol-
Myers' brand of Aluminum Glycinate and Magnesium
Carbonate).

© 1967
 IMPORTANT: ALWAYS REPLACE CAP
 BRISTOL-MYERS CO., NEW YORK, N. Y.
 MADE IN U.S.A.
 667 02

667 02

MADE IN U.S.A.





FOR THE FAMILY


Gillette

**RIGHT
GUARD®**



DEODORANT

**Family
Size**


NET WT. 7 OZS.



KODAK SAFETY FILM





KODAK SAFETY FILM




Q34
FBI
LABORATORY
PC-A5498 BX JV

KODAK SAFETY FILM




KODAK SAFETY FILM




Q38
FBI
LABORATORY
PC-A5498 BX JV

KODAK SAFETY FILM




Q38
FBI
LABORATORY
PC-A5498 BX JV

2113--YT33A°S KODAK



MJ13--YT37A°2 KODAK



MJ17--YT37A°2 KODAK

PC-A5498 BX

44-38861

MURKIN

Beh. while noas

Q21

Q22

Q24

Q26

Q27

Q28


Q29

Q30



Q27
FBI
LABORATORY
PC-A5498 BX JV


KODAK SAFETY FILM



FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C.


Q26
FBI
LABORATORY
PC-A5498 BX JV

KODAK SAFETY FILM



Q26
FBI
LABORATORY
PC-A5498 BX JV







KODAK SAFETY FILM



MLJF--YT37A°2 KADOK



MLF--YT3FA°2 KODAK




KODAK SAFETY FILM



KODAK SAFETY FILM



KODAK SAFETY FILM



Q29-Q30
FBI
LABORATORY

Q29-Q30
FBI
LABORATORY

Q29-Q30
FBI
LABORATORY
PC A5478 BX JV

Q29-Q30
FBI
LABORATORY
PC A5478 BX JV