

(2) *g3*  
*1*  
*0855*  
*1017*  
SECRET//NOFORN - SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

CRV SESSION PROCEDURES REPORT

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

CONTROL NUMBER: 8708

NICKNAME: None

DATE OF SESSION: 5 Jun 87

TARGET COUNTRY: UNK

REFERENCES: None

SESSION NUMBER: 01

DATE OF REPORT: 8 Jun 87

MISSION STATUS: Continuing

TECHNIQUE UTILIZED: CRV

SOURCE IDENTIFIER: 003

SG1A

SG1A

1. (S/NF/SK) TASKING: The Monitor was provided a sheet of bond paper on which the following tasking had been prepared: "Project 8708." [REDACTED]

SG1A

[REDACTED] Additionally, Source was provided the encrypted coordinates listed above, as per Coordinate Remote Viewing (CRV) protocols, to preclude even inadvertent geographic cuing. No other descriptive data or cuing except that stated above was provided to Source prior to this session.

2. (S/NF/SK) SESSION: There were not reportable incidents or anomalies which may have affected or influenced that data provided by Source in this report.

3. (S/NF/SK) SUMMARY:

a. (S/NF/SK) Source required only one series of IABs before progressing into Stage III sketching and Stage IV/VI matrices. The initial IABs were perceived by Source as a, "solid...structure". The subsequent Stage II word list further described the "structure" in terms of various colors and, "dusty, gritty...bumpy...thick", and "dense" all of which may have represented early impressions of a granular surface on the "packing box" or perhaps the existence of a

SECRET//NOFORN - SKEET CHANNELS ONLY

This document is made available through the declassification efforts  
and research of John Greenewald, Jr., creator of:

# The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

**Discover the Truth** at: <http://www.theblackvault.com>

~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

reinforcing (thick, dense) aspect of this box. Sketches at this stage were essentially geometric shapes with a predominantly square or rectangular motif which also closely approximates the general gestalt of the object in the photograph.

b. (S/NF/SK) Source's initial Stage VI matrix described a, "cement structure, thick...quadrangular...flat...difficult access...protective...", with an AOL of, "like a bunker". This may have been a perception of the facility housing the object in the photograph. Source was told that the actual structure was of little interest to the actual intelligence question but something in the structure was of greater interest. With this cuing, Source began describing an, "object" at this site as, Smooth, shiny, cylindrical, heavy.... The object continued to draw Source's attention with further descriptive words and phrases, (S4 1/2 concepts) such as, "(a) plate, ring, inside (something), minute, intricate, complex, high tensile strength, integral, interlocking, dense, locking, an "einsatzstellen (position of readiness)"...it has a dormant mode but can be put into operational status - "Stand-by mode" - (it is) to be actually put into operation upon command". Source then drew an extremely detailed sketch of the object He was perceiving which resembled a cylindrical object with several stages or components. Each stage of this object was labeled by Source beginning at the top and progressing down through the five distinct components sketched by Him. These stages are as follow: "a. locking mechanism b. control mechanism c. bulk material d. separator e. (more) bulk material." Source then finished this sketch phase with an S4 1/2 description of, "(a) sense (that) it's a weapon or at least weapon associated". (SEE PAGES 5-7 of SOURCE NOTES).

c. (S/NF/SK) Source moved forward in the session but continued to focus His attention on the object by describing in greater detail its various components, i.e., "(Some of the components) are different but the same. The two bulk materials must be kept separate. When (they are) together a third thing happens and they could lose control of the it. (It's) like they catalyze or combine into volatile things, "explode" or become extremely corrosive". This narrative was followed by single word descriptives of, "flash, burn, bright...very hot, instantaneous...expanding, bursting, intense...", and an AOL of SADM, (Special Ammunition and Demolitions Material) a short title referencing man-portable low yield nuclear devices to be utilized by Special Forces units on sensitive targeting in time of war or imminence of hostility. (SEE PAGE 10 OF SOURCE NOTES). This was a reinforcement of the earlier concept of a, "weapon or weapon associated (object)".

d. (S/NF/SK) Source was unable to "structure out" the concept of a weapon and continued His Stage VI matrix with a long series of S4 1/2 comments which have been combined as follows: "Object is not

~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

SECRET//NOFORN - SKEET CHANNELS ONLY

meant to be retained within (the) structure when (it is) time to be used. Storage, testing, protection, "hiding" (are all purposes) of the structure....Object is too big and heavy for one or a few people to lift and transport (it). Handling equipment is necessary...One end has projections perpendicular to (the) main cylinder axis of (the object). Internal components can be removed leaving (the) object as (a) hollow shell...Modularity. Certain basic configuration (is) necessary to get it to work but certain elements or "packages" can be substituted to perform different functions. These (elements) go in first... (A) hole in the middle...Same approximate consistency and rough shape of (a) fine grained grinding wheel...". Source supplemented His 84 1/2 comments with several more single word descriptives such as, "hard, heavy, hot, fixed...panels, access, electronic parts, intricate...", and another AOL of, "like a "clean room (nuclear or high tech assembly area)". Before terminating the session, Source briefly accessed an individual He perceived as working in the area whom He described as a man who gave the impression, "like he routinely works with (the) object but doesn't relish his involvement directly with it". This individual worked with, "non-conductive alloy (tools)" performing functions such as, "adjusting, maintaining, fine tuning, stabilizing...". When the object is removed from this facility it is done so in, "covered trucks...to a place out in (the) field. (The) object is attached to something else...cables, controls, shielding...".

e. (S/NF/SK) Source completed an "end of session" summary prior to termination which contained essentially all of the above cited information in narrative form. A follow up, non-session summary completed independently by Source re-affirmed His previous impressions with the notable exception that the Source perceived the impression that the object, whatever it may be, is being readied for operational use in the near future and people associated with this object are feeling a considerable amount of anxiety and pressure to the make certain that it is operational as soon as practical, "to accomplish some immediately expedient policy or result".

4. (S/NF/SK) OPS FEEDBACK: Source had a strong drive during the session concerning His impression that the object was weapon related in some way. Source is, however, a well qualified and experienced operative and believes that He was in control of the drive and sincerely believes that the object is, indeed, probably a weapon or weapon component. It cannot be determined from the data known about the actual target whether Source's information is accurate, however, the post-session independent summary did bear a somewhat dire warning which may require another session to objectify and/or clarify.



SG1J

SECRET//NOFORN - SKEET CHANNELS ONLY


Summary, 8 June 1987

Site involves a block-shaped structure, perhaps reinforced, within which is a long, tapered, round, cylindrical object supported on rectangular supports. Object suggests AOL of missile or rocket. It is designed to be removed from the structure, transported to a location out in the open, assembled with some other component, then used---perhaps launched. Various optional configurations allow it to be employed in a fairly wide number of roles or applications; general feeling is that the object is some form of weapon. Further impression is that it may be put into operation in the near future; in fact, those that employ it are feeling a considerable amount of anxiety and pressure to get the thing operational as soon as practical, to accomplish some immediately expedient policy or result.

POST - SESSION  
(INDEPENDENT SUMMARY)

Paul  
5 Jan 87  
Ft. Meade, MD  
Gene  
0855

SG1A



Two - □

A. ~~cross~~  
flat  
hor

B. land

A. moving  
around  
solid

B. solid

A. up and  
down  
angle  
down

Solid

B. structures

S 2

grey

brown

white

silver

black

red

smooth

hot

yellow

bright

dry

dusty

gritty

dark

2

hard

smooth

rough

cool

bumpy

open

solid

wid


tall

dark

thin


A2 BK

intrest, slight  
approaching



Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

3



Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

S2

D A1 F1 T I A2

A3

event

people

action

movement

sandstone

Clement

thick

grey

rough

smooth

undulating

A1 BK


fission

light  
grey

squarish

flat

structure



1/2 different areas

SVI

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

PL

EI

AOL

5

protective

open

faucet

sandy

dry  
above

bushes

rem  
are of  
Bouldin  
City

rocky

pebbly

morning

parking

Spread out

vehicle

inside

structure

dim  
look

Austene

functional

No L&L  
file  
number

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

SVI

6

S2

D A2

E2

T

T

POL

ALS

rounded

object

smooth

shiny

cylindrical

polished

heavy

curving

red

steel  
stainless

for Blk

like  
brushes  
aluminous  
or  
other  
metals

SVI

7

52

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

D

A1

E1

I

B02

AB


object



bolts

circle

plate



ring

inside

parts

complex

minute

intricate

machined

Stainless high tensile strength

integral

integral

interlocking

dense

turning

locking

moving  
forward

Stainless in einz. Stahl

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

52 Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1 A/s

S4½ - has "dormant" mode, but can be put into operational status - "Stand-by" mode - to be actually put into operation upon command.

Concentric

rings


matching

locking

S4½ Sophisticated technology; high grade materials  
precise fit + tolerances;

inert

object



Sections

Components

S4½ Since it's a weapon or at least weapon-associated

S VI

9

EI

T

A22

Als

a:

granular dense

packed

speckled

brownish

b:

"Solid"

bluish

grayish

blackish

Sys b different but same; two bulk materials must be kept separate; when together, a 3<sup>rd</sup> thing happens ~~that~~ and they lose control of it. Like they catalyze or combine into volatile thing; or "explode" or become extremely corrosive.

flash

burn

ignite

Very  
hot

glowesence

very hot

instantaneous

rapid

expanding

SVI

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

10

S 2

AOL

AB

bursting

expl  
bomb

Intense

release

AOL BK  
SADM

AOL BK  
depth charge

Ad L SADM  
prior emanations?

Variables  
metal  
inertial  
turning  
locking  
release  
attack  
weapon  
heavy  
material  
Closely engineered  
variable  
codes  
Chamber  
explosive  
manufactures  
military  
special handling  
Safeguarding  
Security

SVI

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

52

A2

E1

I

pol

Als

marks

3d  
wavy  
non  
Eastern  
BBC

S4½ object is not meant to be retained w/in structure when time to be used. Storage, testing, protection, "hiding" is purpose of structure.

S4½ Object is too big + heavy for one or a few people to lift + transport. Handling equipment is necessary.

Shiny  
silver

S4½ one end has projections perpendicular to main cylindrical axis of object. Infernal component can be removed, leaving object as hollow shell.

S4½ modularity; certain basic configuration necessary to get it to work; but certain elements or "packages" can be substituted to perform different functions. These go in first.

hard

dense

shaped

S4½ hole in middle

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

SVI

12

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-170L A5

52 same approximate consistency & rough shape of fine-grained  
grinding wheel

Dry

hard  
heavy  
roundish

smooth  
grainy

fixed

material

light  
green  
yellow/  
red  
white  
smooth

object

Supporter

(    )  
    -    -    

Space

~4½ in center of room; other objects, table, equipment  
around outside allowing plenty of room around object.

SUJ

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

S2

D

A2

E2

T

I

Avr

AIS

propellor

13

panels

access

electronic  
parts

infiltrate

"like"  
clear  
room

person

working

slightly  
nervous

S-1/2 like he routinely works w/ object but doesn't relish his involved directly with it.

tools

non-conductive  
alloy

small

precision

adjusting

maintenance

"fine-tuning"

→ stabilizing

technician

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

52

A2

SV 1

14

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

Als

Object

transferred  
transported  
assembled

Outside

54 1/2 Crewed truck takes object from structure to place outside.  
Object is attached to something else.

Cables

controle  
shielding  
observing  
directing

for BM  
missile

adjusted

converted

Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1

15

Site involves Approved For Release 2000/08/08 : CIA-RDP96-00789R000300520001-1 dense, solid, block-shaped, cement bunker-like structure. Inside the structure is a smooth, shiny, rounded, cylindrical object resting on supports in a large room or area with instruments + tools around the walls of the room leaving a lot of space around the object. Some sort of mechanism w/in the object employs concentric rings which turn + lock. Object employs sophisticated technology, precise tolerance, high-tensile, high-strength materials; major systems are mechanical, but intricate electronic parts + systems are also present. Non-conducted precision alloy tools must be used to work on it. ~~Obj~~ Object besides employs modular concept - can be removed leaving <sup>empty</sup> hull; certain components always necessary to allow object to function. But certain parts can be substituted to fulfill different objectives for the object. Object normally exists in a dormant mode, but can be placed in a stand-by state, to be used at a moment notice operationally. Does not occur w/in structure, but is transported in a covered truck to some place out in open, where it is assembled with something else. Object is too large for one or a few people to move, but is relatively easily moved with lifting equipment. Access are located on sides + towards front to make adjustments + "fine tunings" to the electronic parts. Idea of stabilizing is important. Strong sense that object is a weapon, or at least very closely weapon-related.

(1)

Paul - 5 Jun 87 - Project 8708 - SESSION #1 - CRV

- ① Paul this is a new project - an operational project with a fairly short fuse. We will be interrupting other operations to permit the exploitation of this tasking.
- ② [REDACTED] SG1A
- ③ S41/2 - DIFFICULT TO ACCESS . "Paul, what is difficult to access, the signal line or the Structure." That's really an inappropriate comment on my part - it's the structure.
- ④ Paul you are spending some effort to describe the area and that is not the intent here-
- ⑤ You have moved inside the structure and that's OK, but the structure is not my prime interest - I want you to focus on something in the structure that interest me.
- ⑥ Paul start a new page that one is very messy / confusing. Cue the term object in your Matrix. It's a word you used in the previous page.  
(Replacement deposit)
- ⑦ "Do you need to know about the inside?" Paul, I need to know everything you can tell me about this object you are start describing.
- ⑧ The concept of Mind Dump happening when the bulk is brought together needs to be examined closer. Please do it in a matrix

~~10~~

(2)

⑨ "I think I have exposures on the mind" so do I Paul and before we move on that concept has to be resolved and ~~to~~ objectified. I would like you to Stage 5 it for me and maybe we can see where its coming from before we ~~move~~ on.

~~⑩~~ You interested in an ~~obj~~ object but I don't know where my drive came. I don't know if its weapon related or not related - ~~I think I should~~ "Paul, you have AOL SADM and depth charge - Both could be synonymous if you consider they are relevant only in the degree of power and deployment point - therefore choose one at Stage V it - "I think that's the best way to go - I'll choose SADM"

⑪ I still have a feeling its a weapon - "Paul I can't discount that, how can I lend credence to it - "I know

⑫ "Paul - I thought you were moving along well when you were describing the components inside. Maybe that would assist you in resolving the <sup>nature</sup> purpose of this ~~obj~~ object - "

⑬ See if you can come back in structure to acquire some more description before you over-utilize the 54 1/2 ~~SADM~~ format - find some building blocks if you will."

⑭ "Paul one of the final paths I would like to move through with this session is the purpose behind this objects. You may access the workers in the object but the goal is to clarify and objectify the purpose of the object -